EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	7	("6377243" "4864497" "5761656" "7152205" "6378001" "5708828" "5392390").pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 06:59
L5	7564	707/102.ccls.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L6	457	715/864.ccls.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L7	8312	707/201,200,204.ccls.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L8	4	database near4 conversion near2 matrix	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L9	7	database near4 conversion near2 identifier	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L10	0	database near4 conversion near2 identifier same match\$5	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L11	6	database near4 conversion near10 match \$5 near4 table\$1	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L12	150	database near3 conversion near4 program \$5	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L13	15	database near3 conversion same mapp\$5 near5 field\$1	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L14	1	"5392390".pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L15	2923	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (application\$1 or database\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03

L16	239	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (application\$1 or database\$1) near10 (different or distinct or format\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L17	106	(input\$5 or enter\$5) near5 (data or information) near5 (two or plurality or many or multiple) near5 (applications or databases) near10 (different or distinct or format\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L18	35	(input\$5 or enter\$5) near3 (data or information) near3 (two or plurality or many or multiple) near3 (applications or databases) near5 (different or distinct or format\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L19	5	(PDA or PIM) near5 database near5 conver\$8	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L20	1876	(transform\$5 or conver \$6) near5 application near5 data near5 format \$3	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L21	47	(transform\$5 or conver \$6) near5 application near5 data near5 different near5 format\$3	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L22	43	convert\$5 near6 between near5 database near2 format\$2	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L23	5	convert\$5 near6 between near5 (different or distinct) near5 database near2 format\$2	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L24	36	convert\$5 near6 data near6 (different or distinct) near5 database near2 format\$2	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03

L25	36	convert\$5 near6 data near6 (different or distinct) near5 database near2 format\$2 and field \$2	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L26	0	PDA same (differen to distinct) near2 database \$1	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L27	76	PDA same (different or distinct) near2 database \$1	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L28	2	PDA same (different or distinct) near2 database \$1 near10 format\$2	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L29	8312	707/201,200,204.ccls.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L30	4	database near4 conversion near2 matrix	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L31	7	database near4 conversion near2 identifier	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L32	0	database near4 conversion near2 identifier same match\$5	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L33	6	database near4 conversion near10 match \$5 near4 table\$1	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L34	150		US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L35	15	database near3 conversion same mapp\$5 near5 field\$1	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L36	1	"5392390".pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L37	77	select\$5 near5 database near2 convers\$5	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L38	0	select\$5 near5 database near2 convers\$5 near5 (marker or identifier)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L39	3850906		US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03

L40	70	select\$5 near5 application near5 database near5 stor\$5 near5 data	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L41	114	select\$5 near5 database near5 stor\$5 near5 data same (identifier)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L42	26	select\$5 near5 database near5 stor\$5 near5 data near10 (identifier)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L43	3	selecting near2 database near1 identifier	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L44	1	"6,272,545".pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L45	1	"5392390".pn.	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L46	213	map\$5 near5 database\$3 near5 tag\$2	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L47	2	map\$5 near5 database\$3 near5 tag\$2 near5 (conver\$6)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L48	29	application near5 database near6 match\$5 near5 table\$3	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L49	9	(US-6721715-\$ or US-6263201-\$ or US-6996589-\$ or US-5392447-\$ or US-5999937-\$ or US-6487424-\$ or US-6473765-\$ or US-5710917-\$ or US-5392390-\$).did.	USPAT	OR	OFF	2009/04/13 07:03
L50	9	L49 and (table\$1 or matrix\$3 or match\$5)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L51	101	database near2 conversion near2 (matrix or table or grid)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L52	14	database near2 conversion near2 (matrix or table or grid) same (id \$1 or identifier\$1)	US- PGPUB; USPAT	OR	OFF	2009/04/13 07:03
L53	1	"6,272,545".pn.	USPAT	OR	OFF	2009/04/13 07:03

L54	1	"6,272,545".pn. and PDA	USPAT	OR	OFF	2009/04/13
						07:03

4/13/2009 7:06:42 AM

 $\begin{tabular}{ll} C:\ Documents \ and \ Settings \ abasehoar \ My \ Documents \ EAST \ Workspaces \ 10036378(2). \ wsp \end{tabular}$